



For more information, please call:



*Assure Instant
Communication with
Two-way Radio
Call Boxes...*



MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office.
All other product and service names are the property of their respective owners.
© Motorola, Inc. 2003.

6880309R01



* 6 8 8 0 3 0 9 R 0 1 *



*Communicate
without wires
or monthly
operating fees.*

Whether used within a corporation or college campus, recreational area, shopping center or transportation system, Call Boxes provide a swift and reliable way for employees, visitors and customers to communicate to a monitoring station. Two-way based Call Boxes allow for integration into most existing radio systems and provide direct access to personnel connected to the system. Connectivity's design allows for expansion of security coverage and can help improve response time without the need for additional personnel. Call Boxes provide an affordable and reliable way to communicate with and secure the most remote locations.

Not only can Connectivity's Call Boxes integrate into most existing two-way radio systems, but they are also upgradeable should your radio frequency change. Built-in voice chips give audible instructions to users requiring assistance, and each unit has an automatic Call Box ID and location identifier so responding personnel can provide aid.

All Connectivity Call Boxes Include:

- Voice Instruction Message for User
- Automatically Announces Call Box ID and Your Location
- Courtesy Light
- Easy Push-to-talk Operation
- Silent Tamper Alert Broadcast to Security
- Low Battery Alert
- 40-day Standby Battery Capacity
- One 12 Volt, 12 Amp/Hour Rechargeable Battery
- Call Box Keys and Tamper-resistant Screw Bits
- 1-Year Warranty on Call Box;
5-Year Warranty on Solar Panel

safety

security

service





The open-face ACB Call Box provides maximum accessibility.



The affordable A1 Call Box is ideal for golf courses and recreation areas.

The attractive A1 Call Box combines a unique design with rugged durability. It's field programmable to allow voice messages to be easily changed for special events.

Mounts on a wall, or on a PVC or aluminum stanchion. Available in either solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. For indoor and outdoor use, this Call Box provides protection against dust and falling rain. Includes antenna and set of small reflective decals.

RRDN4362A
Solar Powered A1 Call Box

RRDN4363A
AC/DC Powered A1 Call Box

RRDN4364A
Solar Powered A1 Call Box with PVC Stanchion
Double-walled PVC stanchion measures 12"H x 5"W x 5"D. Includes 5"x 5" ornamental top cap, and 5 watt solar panel.

RRDN4365A
Solar Powered A1 Call Box with Aluminum Stanchion
The .090 thick aluminum stanchion measures 10"H x 10"W x 5"D. Includes four light openings, internal 60,000CP blue strobe light, clear plastic light opening lens covers, and 5 watt solar panel.

RRDN4366A
AC/DC Powered A1 Call Box with Aluminum Stanchion
The .090 thick aluminum stanchion measures 10"H x 10"W x 5"D. Includes four light openings, internal 60,000CP blue strobe light, clear plastic light opening lens covers, and AC/DC power supply.



The ACB Call Box provides quick push-to-talk communication. Because there is no door to open, it is easily accessible. It is ideal for making restaurant, hotel or taxicab reservations, or announcing a delivery at an entry door.

The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D and features a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.

RRDN4367A
Solar Powered ACB Call Box

RRDN4368A
AC/DC Powered ACB Call Box





A1410 Call Box



The sleek A1410 Call Box offers a sophisticated look.

The A1410 Call Box features a self-standing design that complements today's leading-edge architecture. Ideal for high-profile corporate campuses.

The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. This Call Box features a thick, clear Lexan faceplate cover and includes an activation ringer, antenna and a set of large reflective decals. This Call Box also offers a 10 watt solar panel which provides additional charging power to allow the beacon/locator light to function 24 hours a day.

RRDN4369A
Solar Powered A1410 Call Box

RRDN4370A
AC/DC Powered A1410 Call Box

MACPlus Call Box

The advanced MACPlus Call Box provides four customizable buttons.



The MACPlus Call Box features a four-button notification panel that can be tailored to your requirements — for example, Medical/Police, Mechanical/Towing, Gas/Tire and Hearing Impaired. Ideal for roadways, bridges, tunnels and commuter rail stations.

The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Call Boxes alert the dispatch center every 24 hours with a status report.

The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA-compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. Requires separate purchase of software package below for programming of four call buttons.

RRDN4371A
Solar Powered MACPlus Call Box

RRDN4372A
AC/DC Powered MACPlus Call Box

RRDN4373A
Computer-Aided Maintenance Software Package
Required for programming of MACPlus call buttons. Only one package required regardless of number of Call Boxes in system. Includes radio interface box and 2 hours of customer support.